- 4. (original) The composition of claim wherein the corticosteroid comprises fluocinolone acetonide.
- 5. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at about 0.10%.
- √6. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at at least about 0.50%.
- √7. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at at least about 0.25%.
- (8.) (original) The composition of claim 1,2, 3 or 4 wherein the penetration enhancers comprise two or more of the group consisting of propylene glycol, diisopropyl adipate, dimethyl isosorbide, 1,2,6 hexanetriol, and benzyl alcohol.
- (9.) (original) The composition of claim 1, 2, 3 or 4 wherein the penetration enhancers comprise two or more of the group consisting of propylene glycol, diisopropyl adipate and dimethyl isosorbide.
- 10. (original) The composition of claim 1, 2, 3, or 4 wherein one penetration enhancer comprises propylene glycol.
- $\sqrt{11}$ . (original) The composition of claim 1 wherein the ratio is at least about 0.80.
- $\sqrt{12}$ . (original) The composition of claim 1 wherein the ratio is at least about 0.90.
- 13. (original) The composition of claim 1 wherein the ratio is at least about 0.95.
- 14. (original) The composition of claim 1 wherein the solvents and emulsifiers comprise one or more of the group consisting of dehydrated alcohol, alcohol (95% v/v)USP, 3-Cyclohexene-1-Methanol, ∝4-Dimethyl-a-(4-Methyl-3-Pentenyl)-, Steareth-2, Steareth-21, citric acid, CPE-215, diisopropanolamine (1:9), DIPA/PG (1:9), ethoxydiglycol, Potassium hydroxide (10%), PEG-40 Stearate, PEG-7000, Polysorbate 60, potassium hydroxide (1%), propylene carbonate

ingredients.

J

USP, propylethylene glycol 4, oleyl alcohol, sodium lauryl sulfate, sorbitan monostearate, sorbitan stearate, and 1,2,3-Propanetriyl Ester.

- 15. (original) The composition of claim 1 further comprising one or more non-solvent/emulsifier
- 16. (original) The composition of claim 14 wherein the non-solvent/emulsifier ingredients comprise one or more of the group consisting of Glyceryl Stearate (and) PEG-100 Stearate, carbopol 980, cyclomethicone NF, glyceryl monostearate, hydroxyethyl cellulose, hydroxypropyl cellulose, isopropyl myristate, methyl paraben NF, mineral oil, oleic acid NF, PEG-100 Stearate, petrolatum, propyl paraben NF, purified water, stearyl alcohol, white petrolatum, and white wax.
- 17. (original) The composition of claim 1 wherein the solvents and emulsifiers are present at about 4-5%.
- 18. (original) The composition of claim 15 wherein the non-solvent/emulsifier ingredients are present at about 11% to about 53%.
- 19 (original) The composition of claim 15 wherein the non-solvent/emulsifier ingredients are present at about 11% to about 27%.
- 20. (original) A composition comprising about 0.10% fluorinonide, about 74.9% propylene glycol, about 3.0% diisopropyl adipate, about 5.0% isopropyl myristate, about 2.5% 1,2,6 trihydroxyhexane, about 1.0% carbopol 980, about 1.0% diisopropanolamine 85%: propylene glycol (1:9), about 0.01% citric acid, about 2.49% purified water, about 2.5% glyceryl monostearate, and about 7.5% glyceryl monostearate & PEG stearate.
- 21. (original) A composition comprising about 0 10% fluocinonide, about 70.0% propylene glycol, about 15.0% dimethyl isosorbide, about 1.2% carbopol 980, about 1.2% diisopropanolamine

- 85%: propylene glycol (1:9), about 0.01% citric acid, about 2.49% purified water, about 2.5% glyceryl monostearate, and about 7.5% glyceryl monostearate & PEG stearate.
- 22. (original) A composition comprising about 0.10% fluorinonide, about 66.8% propylene glycol, about 5.0% dimethyl isosorbide, about 5.0% isopropyl myristate, about 0.5% carbopol 980, about 0.5% diisopropanolamme 85%: propylene glycol (1:9), about 5.0% white petrolatum USP, about 6.0% glyceryl monostearate, about 6.0% PEG 100 stearate, about 5.0% stearyl alcohol, and about 0.10% sodium lauryl sulfate.
- 23. (original) A composition comprising about 0.10% fluocinonide, about 69.9% propylene glycol, about 2.0% diisopropyl adipate, about 5.0% isopropyl myristate, about 0.5% carbopol 980, about 0.5% diisopropanolamine 85%: propylene glycol (1:9), about 5.0% white petrolatum USP, about 6.0% glyceryl monostearate, about 6.0% PEG 100 stearate, and about 5.0% stearyl alcohol.
- 24. (withdrawn)
- 25. (withdrawn)
- 26. (withdrawn)
- 27. (withdrawn)
- 28. (withdrawn)
- 29. (withdrawn)
- 30. (withdrawn)
- 31. (withdrawn)
- 32. (withdrawn)
- 33. (withdrawn)
- 34. (withdrawn)
- 35. (withdrawn)

1

- 36. (withdrawn)
- 37. (withdrawn)
- 38. (withdrawn)
- 39. (withdrawn)
- 40. (withdrawn)
- 41. (withdrawn)
- 42. (withdrawn)
- 43. (withdrawn)
- 44. (withdrawn)
- 45. (withdrawn)
- 46. (withdrawn)
- 47. (withdrawn)
- 48. (withdrawn)
- 49. (withdrawn)
- 50. (withdrawn)
- 51. (withdrawn)
- 52. (withdrawn)
- 53. (withdrawn)
- 54. (withdrawn)
- 55. (withdrawn)
- 56. (withdrawn)
- 57. (withdrawn)
- 58. (withdrawn)
- 59. (withdrawn)